

Publishing Project



The University of Cardiff

Publishing Project

The University of Cardiff

By

B.I.C Fernando

98/SL/071

Year III Semester I

**Faculty of Social Sciences & Languages
Sabaragamuwa University of Sri Lanka**

This Project Report^{is} submitted to the Center for Computer Studies in the Sabaragamuwa University of Sri Lanka as a partial fulfillment of the requirement of the Publishing Project CA3132(Com 312) of Computer Studies.

Project Supervisors :-

K.S.S Senthilkumar

&

R.M.N.B Rathnayake

Declaration

I wish to declare that this Publishing Project is piece of original work. Also certify that I ^{myself} or any other person has not submitted this report previously.

I referred many books and used secondary data to prepare this report.

..... B. Fernando

B.I.C.FERNANDO
(Signature)

..... 11.10.2001

(Date)



**Dedicated
To
Beloved Mother
&
Teachers**

Acknowledgement

I wish to express my sincere gratitude and appreciation to Mr. K.S. Senthilkumar and Mr. R.M.N.B.Rathnayake, project supervisors for their guidance and encouragement through this project and for the valuable suggestions they made in the preparation of this project.

My special thank is extended to Prof.I.K.Perera Director of Computer Center. As well as my sincere thanks go to the staff of the Center for Computer Studies, University of Ruhuna for imparting the knowledge on the working of Internet and its applications, during our visit to the University of Ruhuna.

Finally I am grateful to everyone who supported me in preparation of this Project Report.

Introduction

The Internet is a very important communication tool in the present world. If anyone wants to deal with the Internet, he/she is better to have an idea with the Web Publishing.

This Publishing Report is designed for the partly fulfillment of the subject Com 3132(Com312) in year III semester I for my degree course.

This web page was designed by using Front page software. All the pages have linked to the Home page by using Hyperlink, Hoover buttons and navigation bar. It has applied suitable backgrounds page banners and inserted word arts, Marquee, motion clips and some pictures. To get the attraction of the visitors, who visit to the web page, used Java script and Flash soft ware in the Home Page. While designing this web page used minimum number of memory capacity 856KB.

Content

Dedication	I
Acknowledgement	II
Introduction	III
Objectives of the Report	IV
Steps to prepare the publishing project	V
Conclusion & Recommendation	VI

Appendix (HTML Codes)

Home Page	1
The University	6
The City	8
Travel Time	10
Academic	15
Faculty of Engineering	18
Faculty of Social Studies	21
Faculty of Health & Life Sciences	24
Faculty of Physical Science	26
Faculty of Business Studies & Law	28
Accommodation	30
Guarantee of Accommodation	33
Range of Accommodation	35
Choice of Accommodation	37
Applying for an Accommodation	39
Degree Structure	41
Benefits of New Degree Structure	43
Preliminary Year	45
Information Services	47
Computing	49
Library	51
Sports and Recreation	53
Overseas Students	55
Further Information	57
Your Views	60

Objectives of the Project

The main objective of this project is the ~~fulfillment of the~~ requirement of the fulfillment of the course (CA3132) Publishing Project, Year III Semester I in ^{the} faculty of Social Sciences & Languages of ^{the} Sabaragamuwa University of Sri Lanka.

Out of this, the main objectives of this study are as follows,

- * To get a wider knowledge of Web Publishing.
- * Identify a foreign university.
- * Identify to gather the necessary information from given topic.
- * To get information about degree courses of the University of Cardiff to any other whom like.

Methodology

Steps Taken to complete the Publishing Project.

Methodology

The data was collected from the secondary sources.

* Hand Book of the University of Cardiff.

Further information regarding the University obtained from booklets and catalogs.

Categorizing the information

The information gathered was categorized in to separate headings and each headings was typed in to separate note pads.

Designing the web pages and browsing

The web pages designing was specifically concentrated to be attractive and informative. In the entrance, it has added a photograph of the University of Cardiff and used a java script and flash software to get attraction.

Designing of the web page was made easier through our visit to the University of Ruhuna.

Completed this Publishing Project by following the above steps.

The documentation consist of mainly the analysis of the university, academic, accommodation, degree structure, preliminary year, information services, Sports, overseas students, the out puts of each web page(HTML Codes) and conclusion.

Conclusion


This web publishing project helps to improve knowledge^{of} web site ,Front page, HTML language, making report writing skills, computer skills and etc. Also this project helps to a user who likes to know information about the University of Cardiff.

By this project I expected to introduce new techniques specially Flash, Java scripts and different HTML tags that would help the user for further reference. I expect this web-publishing project gives full support to any one who likes to know about the University of Cardiff as a foreign university.

Appendix

(HTML Codes)

Structure of the Web Page



1. Home Page

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>Home Page</title>
<base target="contents">
<SCRIPT LANGUAGE="JavaScript">
<!-- BegintypeWriterWait=120 // Typewriter delay
blinkTextWait=1000 // Blinking delay
blinkSpacesWait=300 // Blinking 'blank-spaces' delay
blinkMax=3 // how many times to blink
expandWait=100 // expanding headliner delay
scrollWait=90 // scrolling headliner delay
scrollWidth=34 // characters in scroll display
randomLines=false // randomly choose lines? (true or false)
lineMax=8 // how many lines you have
lines=new Array(lineMax) // Use this format for all the lines below:
// (display text, url or mailto, frame name, effect, delay time)
lines[1]=new Line("The University Cardiff",
"http://www.piaster.nl/perspicacity/js/headliner", "", Blink, 500)
lines[2]=new Line("Higher Studies in a Foreign Land - In UK - The University Cardiff
!", "", "", Scroll, 1000)
lines[3]=new Line("If You Are Thirsty .....!", "", "", Static, 3500)
lines[4]=new Line("Come to The Water....", "", "", Expand, 2000)
lines[5]=new Line("Higher Studies in a Foreign Land", "", "", Scroll, 3000)
lines[6]=new Line("The University Cardiff", "mailto:Internat@cf.ac.uk?subject=The
Headliner", "", TypeWriter, 1500)
lines[7]=new Line("The University Cardiff",
"http://www.piaster.nl/perspicacity/js/headliner", "", TypeWriter, 2500)
lines[8]=new Line("Welcome for the Web", "http://messages.javascriptsource.com", "",
Static, 3500) // Don't change these variables below :-)
lineText=""timerID=null timerRunning=false spaces=""charNo=0
charMax=0charMiddle=0 lineNo=0 lineWait=0
function Line(text, url, frame, type, wait) {this.text=text this.url=url this.frame=frame
this.Display=type this.wait=wait}function StringFill(c, n) { var s="" while (--n >= 0)
{s+=c}return s}function getNewRandomInteger(oldnumber, max) {varn=Math.floor
(Math.random() * (max - 1) + 1)if (n >= oldnumber) {n++}return n}
function getRandomInteger(max) {var n=Math.floor(Math.random() * max + 1)return n}
function GotoUrl(url, frame)
```

```

{if (frame != "") {if (frame == 'self') self.location.href=url else if (frame == 'parent')
parent.location.href=url else if (frame == 'top') top.location.href=url else
{s=eval(top.frames[frame]) if (s != null) top.eval(frame).location.href=url
else window.open(url, frame, "toolbar=yes,status=yes,scrollbars=yes")}}
else window.location.href=url} function Static() {document.form
Display.buttonFace.value=this.text timerID=setTimeout("ShowNextLine()", this.wait)}
function TypeWriter() {lineText=this.text lineWait=this.wait
charMax=lineText.length spaces=StringFill(" ", charMax)
TextTypeWriter()}function TextTypeWriter() {if (charNo <= charMax)
{document.formDisplay.buttonFace.value=lineText.substring(0, charNo) +spaces.
substring(0, charMax-charNo) charNo++timerID=setTimeout("TextTypeWriter()",
typeWriterWait)}else {charNo=0 timerID=setTimeout("ShowNextLine()", lineWait)}}
function Blink() {lineText=this.text charMax=lineText.length spaces=StringFill(" ",
charMax) lineWait=this.wait TextBlink()}function TextBlink() {if (charNo <= blinkMax
* 2) { if ((charNo % 2) == 1) {document .form Display.buttonFace.value=lineText
blinkWait=blinkTextWait}else {document.formDisplay.buttonFace.value=spaces
blinkWait=blinkSpacesWait}charNo++ timerID=setTimeout("TextBlink()", blinkWait)}
else {charNo=0 timerID=setTimeout("ShowNextLine()", lineWait)}}
function Expand() { lineText=this.text charMax=lineText.length
charMiddle=Math.round(charMax / 2) lineWait=this.wait
TextExpand()}function TextExpand() {if (charNo <= charMiddle) {document.
formDisplay.buttonFace.value=lineText.substring(charMiddle - charNo, charMiddle +
charNo) charNo++ timerID=setTimeout("TextExpand()", expandWait)}
else {charNo=0 timerID=setTimeout("ShowNextLine()", lineWait) }}
function Scroll() {spaces=StringFill(" ", scrollWidth) lineText=spaces+this.text
charMax=lineText.length lineText+=spaces lineWait=this.wait
TextScroll()}function TextScroll() {if (charNo <= charMax)
{document.formDisplay.buttonFace.value=lineText.substring(charNo,
scrollWidth+charNo) charNo++ timerID=setTimeout("TextScroll()", scrollWait)}
else {charNo=0 timerID=setTimeout("ShowNextLine()", lineWait) }}
function StartHeadliner() {StopHeadliner() timerID=setTimeout("ShowNextLine()",
2000) timerRunning=true} function StopHeadliner() {if (timerRunning) {clear
Timeout(timerID) timerRunning=false}}
function ShowNextLine() {if (randomLines) lineNo=getNewRandomInteger(lineNo,
lineMax) else (lineNo < lineMax) ? lineNo++ : lineNo=1lines[lineNo].Display()}function
LineClick(lineNo) {document.formDisplay.buttonFace.blur() if (lineNo > 0)
GotoUrl(lines[lineNo].url, lines[lineNo].frame)} with (document)
{write('<center><form name="formDisplay"><input type="button">
write('name="buttonFace" value="Welcome For The Web..."')
write('onClick="LineClick(lineNo)"></input></form></center>')}// End -->
</SCRIPT>
<meta http-equiv="Page-Enter" content="revealTrans(Duration=2.0,Transition=6)">
<meta name="Microsoft Theme" content="radius 111">
<meta name="Microsoft Border" content="tlb, default">
</head>

```

```

<BODY onLoad="StartHeadliner()" background="_themes/radius/radbkgnd.jpg"
bgcolor="#FFFFFF" text="#000000" link="#336699" vlink="#999999"
alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"><img src=
"bd06213_.gif" width="56" height="66"></font>
</p><!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table><!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPlover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator. App
Version)>= 4)));functionMSFPpreload(img){var a=newImage();a.src=img;return a;}//-->
</script>
<script language="JavaScript"><!--if(MSFPlover) {MSFPnav1n=
MSFPpreload("_derived/new_page_1.htm_cmp_radius110_hbtn.gif"); MSFPnav1h=
MSFPpreload("_derived/new_page_1.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_1.htm" language="JavaScript" onmouseover="if(MSFPlover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPlover)
document['MSFPnav1'].src=MSFPnav1n.src"></a>
<script language="JavaScript"><!--if(MSFPlover){ MSFPnav2n =MSFPpreload
("_derived/new_page_4.htm_cmp_radius110_hbtn.gif"); MSFPnav2h=
MSFPpreload("_derived/new_page_4.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_4.htm" language="JavaScript" onmouseover="if(MSFPlover)
document['MSFPnav2'].src=MSFPnav2h.src" onmouseout="if(MSFPlover)
document['MSFPnav2'].src=MSFPnav2n.src"></a>
<script language="JavaScript"><!--if(MSFPlover){ MSFPnav3n= MSFPpreload
("_derived/new_page_5.htm_cmp_radius110_hbtn.gif");MSFPnav3h=MSFPpreload("_d
erived/new_page_5.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>

```

```

<a href="new_page_5.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3h.src" onmouseout="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3n.src"><imgsrc="_derived/new_page_5.htm_cmp
_radius110_hbtn.gif" width="140" height="40" border="0" alt="Accommodation"
align="middle" name="MSFPnav3"></a> <script language="JavaScript">
<!--if(MSFPhover){MSFPnav4n=MSFPpreload("_derived/new_page_10.htm_cmp
radius110_hbtn.gif");MSFPnav4h=MSFPpreload("_derived/new_page_10.htm_cmp_radi
us110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_10.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav4'].src=MSFPnav4h.src" onmouseout="if(MSFPhover)
document['MSFPnav4'].src=MSFPnav4n.src"></a>
<scriptlanguage="JavaScript"><!--if(MSFPhover){MSFPnav5n=MSFPpreload("_derived/
pre.htm_cmp_radius110_hbtn.gif");MSFPnav5h=MSFPpreload("_derived/pre.htm_cmp_
radius110_hbtn_a.gif"); }// -->
</script><a href="pre.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5h.src" onmouseout="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5n.src"></a>
<script language="JavaScript"><!--if(MSFPhover) {MSFPnav6n =MSFPpreload
("_derived/new_page_14.htm_cmp_radius110_hbtn.gif"); MSFPnav6h
=MSFPpreload("_derived/new_page_14.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_14.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav6'].src=MSFPnav6h.src" onmouseout="if(MSFPhover)
document['MSFPnav6'].src=MSFPnav6n.src"></a>
<script language="JavaScript"><!--if(MSFPhover) {MSFPnav7n =MSFPpreload
("_derived/new_page_17.htm_cmp_radius110_hbtn.gif"); MSFPnav7h=
MSFPpreload("_derived/new_page_17.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script><a href="new_page_17.htm" language="JavaScript"
onmouseover="if(MSFPhover) document['MSFPnav7'].src=MSFPnav7h.src"
onmouseout="if(MSFPhover) document['MSFPnav7'].src=MSFPnav7n.src"></a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav8n= MSFPpreload
("_derived/new_page_18.htm_cmp_radius110_hbtn.gif"); MSFPnav8h=
MSFPpreload("_derived/new_page_18.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_18.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav8'].src=MSFPnav8h.src" onmouseout="if(MSFPhover)
document['MSFPnav8'].src=MSFPnav8n.src"><img

```


1.1 The University

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>The University</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font>
</td></tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt(navigator.app
Version) >= 4 )));function MSFPpreload(img){var a=new Image(); a.src=img; return a; }
// --></script><script language="JavaScript"><!--if(MSFPhover) { MSFPnav1n=
MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h= MSFPpreload
("_derived/up_cmp_radius110_hbtn_a.gif"); }// --></script><a href="index.htm"
language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1n.src"></a> <script language="JavaScript"><!--
if(MSFPhover) {MSFPnav2n= MSFPpreload ("_derived/ new_page_3.htm_cmp_
radius110_hbtn.gif"); MSFPnav2h= MSFPpreload("_derived/ new_page_3.htm_cmp
_radius110_hbtn_a.gif"); }// --></script><a href="new_page_3.htm" language=
"JavaScript" onmouseover="if(MSFPhover)document['MSFPnav2'].src=MSFPnav2h.src"
onmouseout="if(MSFPhover) document['MSFPnav2'].src=MSFPnav2n.src"><img
```



```

<html>
<head>
<meta http-equiv="Content-Language" content="en-us">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>university</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Page-Enter" content="revealTrans(Duration=1.0,Transition=7)">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"><imgsrc="_derived/
new_page_3.htm_cmp_radius110_bnr.gif" width="600" height="60" border="0"
alt="Cardiff - The City"></font></b><font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font></td></tr>
<!--msnavigation--></table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") &&(parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer")&&(parseInt( navigator
.appVersion) >= 4 ))); function MSFPpreload(img) { var a=new Image(); a.src=img;
return a; }// --></script><script language="JavaScript"><!--if(MSFPHover){ MSFPnav1n
=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h
=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// --></script>
<a href="new_page_1.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src"><imgsrc="_derived/up_cmp_radius110_h
btn.gif" width="140" height="40" border="0" alt="Up" align="middle"
name="MSFPnav1"></a></font></p>
<!--mstheme--></font></td>
<td valign="top" width="24"></td>
<!--msnavigation--><td valign="top"><!--mstheme--><font face="Verdana, Arial,
Helvetica"><p>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</p>

```

Cardiff is a modern capital city which enjoys a quality of life which is the highest of any established university city in England and Wales, according to independent research which looked at factors such as cost of living, crime rate, housing and shopping facilities. Its size (population 300 000) together with its status as a capacity, ensures that it has plenty to offer without suffering from disadvantages such as high price or over crowding.

Cardiff benefits from excellent road and rail links with Britain's other major towns and cities. London for an example, is only 100 minutes away by train, and the M4 links both the west and south of England, as well as west Wales. The main coach and railway stations are both centrally placed, and Cardiff also benefits from an international airport.

```
<font color="#0000FF"><br><applet code="fphover.class" codebase="." width="120" height="24">
<param name="color" value="#000080">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
<param name="bgcolor" value="#00FF00">
</applet>&nbsp;&nbsp;</font>&nbsp;&nbsp;<a href="new_page_2.htm"><font face="Arial" color="#0000FF" size="2"><b>Travel Time</b></font></a><font size="2" color="#0000FF">&nbsp;&nbsp;</font></p>
```

```
<!--mstheme--></font><!--msnavigation--></td></tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;</p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
</body>
</html>
```

1.1.2 Travel Time

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>Time</title>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966"><!--msnavigation--><table
border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td><!--mstheme-->
<font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana,
Arial,Helvetica"></font></p>
<!--mstheme--></font></td></tr><!--msnavigation--></table><!--msnavigation--><table
border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td valign="top"
width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript">
<!--MSFPHover = (((navigator.appName == "Netscape") &&
(parseInt(navigator.appVersion) >= 3 )) || ((navigator.appName == "Microsoft Internet
Explorer") && (parseInt(navigator.appVersion) >= 4 ))); function MSFPpreload(img)
{ var a=new Image(); a.src=img; return a; } // --></script><script
language="JavaScript"><!-- if(MSFPHover)
{MSFPnav1n=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif");
MSFPnav1h=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
</script><a href="new_page_1.htm" language="JavaScript"
onmouseover="if(MSFPHover) document['MSFPnav1'].src=MSFPnav1h.src"
onmouseout="if(MSFPHover) document['MSFPnav1'].src=MSFPnav1n.src"></a></font></p>
<!--mstheme--></font></td><td valign="top" width="24"></td><!--msnavigation--><td
valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica"><p><font size="4"
face="Arial, Arial, Helvetica"><b><i>Approximate Travel times to Cardiff </i></b>
</font></p>
<font face="Arial, Arial, Helvetica"><!--mstheme--></font><table border="1"
cellpadding="2" width="100%" height="177" bordercolordark="#336699"
bordercolorlight="#999999">
```

```

<tr>
<td width="38%" height="1" rowspan="2" bgcolor="#FFCC99"><!--mstheme--> <font
face="Verdana, Arial, Helvetica"> <b>From </b></font><p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font></td>
<td width="33%" height="1" bgcolor="#FFCC99"><!--mstheme--><font face ="
Verdana, Arial, Helvetica"><b>Car</b><!--mstheme--></font></td>
<td width="32%" height="23" rowspan="2" bgcolor="#FFCC99"><!--mstheme--><font
face="Verdana, Arial, Helvetica"><br><br>Distance<!--mstheme--></font></td>
<td width="33%" height="1" bgcolor="#FFCC99"><!--mstheme--><font face ="
Verdana, Arial, Helvetica"><b>Rail</b><!--mstheme--></font></td>
<td width="38%" height="1" rowspan="2" bgcolor="#FFCC99"><!--mstheme--><font
face="Verdana, Arial, Helvetica"><br><br>Distance<!--mstheme--></font></td>
</tr>
<tr>
<td width="33%" bgcolor="#FFCC99" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">Time<!--mstheme--></font></td>
<td width="33%" bgcolor="#FFCC99" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">Time<!--mstheme--></font></td>
</tr>
<tr>
<td width="38%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">Bangor<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">4hr<!--mstheme--></font></td>
<td width="32%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">15m<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">4hr<!--mstheme--></font></td>
<td width="38%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">30m<!--mstheme--></font></td>
</tr>
<tr>
<td width="38%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">Birmingham<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">2hr<!--mstheme--></font></td>
<td width="32%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">-<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">2hr<!--mstheme--></font></td>
<td width="38%" bgcolor="#FF9933" height="22"><!--mstheme--><font face="
Verdana, Arial, Helvetica">45m<!--mstheme--></font></td>
</tr>
<tr>
<td width="38%" bgcolor="#FF9933" height="19"><!--mstheme--><font face="
Verdana, Arial, Helvetica">Cambridge<!--mstheme--></font></td>

```

4hr		4hr	15m
Edinburgh	6hr	45m	7hr
Leeds	3hr	45m	4hr
30m	4hr	30m	3hr
30m	3hr	3hr	

London	2hr	45m	2hr	-
Manchester	3hr	15m	3hr	-
Newcastle	5hr	-	6hr	-
Nottingham	2hr	45m	3hr	30m

```
</tr>
<tr>
<td width="38%" bgcolor="#FF9933" height="1"><!--mstheme--><font face="Verdana,
Arial, Helvetica">Oxford<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="1"><!--mstheme--><font face="Verdana,
Arial, Helvetica">2hr<!--mstheme--></font></td>
<td width="32%" bgcolor="#FF9933" height="1"><!--mstheme--><font face="Verdana,
Arial, Helvetica">.<!--mstheme--></font></td>
<td width="33%" bgcolor="#FF9933" height="1"><!--mstheme--><font face="Verdana,
Arial, Helvetica">2hr<!--mstheme--></font></td>
<td width="38%" bgcolor="#FF9933" height="1"><!--mstheme--><font face="Verdana,
Arial, Helvetica">.<!--mstheme--></font></td>
</tr>
</table><!--mstheme--><font face="Verdana, Arial, Helvetica"><!--mstheme--> </font>
<table border="0" cellpadding="0" cellspacing="0" width="100%"><!--msthemelists-->
<tr><td valign="baseline" width="42"></td><td valign="top" width="100%"><!--
mstheme--><font face="Verdana, Arial, Helvetica"><b>Travel time : Nearest quarter
&nbsp;&nbsp;&nbsp;hour <font size="2"> &nbsp;&nbsp;&nbsp;</font>&nbsp;&nbsp;&nbsp;<b><!--mstheme-->
</font></td>
</tr>
<!--msthemelists--><tr><td valign="baseline" width="42"></td><td
valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<b>Rail time&nbsp;&nbsp;&nbsp;: Reflect those published in current&nbsp;&nbsp;&nbsp;time table&nbsp;&nbsp;&nbsp;
&nbsp;&nbsp;&nbsp;<b><!--mstheme--></font></td>
</tr>
</table><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><applet code="fphover.class" codebase="." width="120"
height="24"><param name="textcolor" value="#FFFFFF"><param name="text"
value="Home"><param name="effect" value="glow"><param name="url" valuetype=
"ref" value="index.htm"><param name="hovercolor" value="#000000">
<param name="color" value="#0000FF"></applet></font></p>
<p><font size="1" face="Arial, Arial, Helvetica">&nbsp;&nbsp;&nbsp;</font></p>
<p><font size="1" face="Arial, Arial, Helvetica">&nbsp;&nbsp;&nbsp;</font></p>
<p><font face="Arial, Arial, Helvetica"></p msnavigation></font><!--mstheme-->
</font><!--msnavigation--></td></tr><!--msnavigation--></table>
<!--msnavigation--> <table border="0" cellpadding="0" cellspacing="0"
width="100%"><tr><td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
</body>
</html>
```

1.2 Accademic

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Accademic</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation(){}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" background="_themes/radius/radbkgnd.jpg"
bgcolor="#FFFFFF" text="#00000" link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b>
<fontface="Verdana, Arial, Helvetica"></font></p><!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%">
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator.app
Version) >= 4 )))>function MSFPpreload(img)
{var a=new Image(); a.src=img; return a;}// -->
</script>
<script language="JavaScript"> <!--if(MSFPHover) { MSFPnav1n=MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif");
MSFPnav1h=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// --> </script>
```

```

<a href="index.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPhover) document
['MSFPnav1'].src=MSFPnav1n.src">
</a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav2n= MSFPpreload
("_derived/Engineering.htm_cmp_radius110_hbtn.gif");MSFPnav2h=MSFPpreload
("_derived/Engineering.htm_cmp_radius110_hbtn_a.gif"); }// --></script><a href=
"Engineering.htm" language="JavaScript" onmouseover="if(MSFPhover) document
['MSFPnav2'].src=MSFPnav2h.src" onmouseout="if(MSFPhover) document
['MSFPnav2'].src=MSFPnav2n.src"><imgsrc="_derived/Engineering.htm_cmp_radius11
0_hbtn.gif" width="140" height="40" border="0" alt="Engineering" align="middle"
name="MSFPnav2">
</a>
<script language="JavaScript"><!--if(MSFPhover)
{ MSFPnav3n=MSFPpreload("_derived/Social Studies.htm_cmp_radius110_hbtn.gif");
MSFPnav3h=MSFPpreload("_derived/Social Studies.htm_cmp_radius110_hbtn_a.gif");}
// --></script><a href="Social%20Studies.htm" language="JavaScript"
onmouseover="if(MSFPhover) document['MSFPnav3'].src=MSFPnav3h.src"
onmouseout="if(MSFPhover) document['MSFPnav3'].src=MSFPnav3n.src">
</a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav4n=MSFPpreload
("_derived/health_and_life_sciences.htm_cmp_radius110_hbtn.gif");
MSFPnav4h=MSFPpreload("_derived/health_and_life_sciences.htm_cmp_radius110_hbt
n_a.gif"); }// -->
</script>
<a href="health_and_life_sciences.htm" language="JavaScript"
onmouseover="if(MSFPhover) document['MSFPnav4'].src=MSFPnav4h.src"
onmouseout="if(MSFPhover) document['MSFPnav4'].src=MSFPnav4n.src"></a> <script language="JavaScript"><!--if(MSFPhover)
{MSFPnav5n= MSFPpreload("_derived/ bs&law.htm_cmp_radius 110_hbtn.gif");
MSFPnav5h=MSFPpreload("_derived/bs&law.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="bs&law.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5h.src" onmouseout="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5n.src">
</a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav6n =MSFPpreload
("_derived/Physical S.htm_cmp_radius110_hbtn.gif"); MSFPnav6h =MSFPpreload
("_derived/Physical S.htm_cmp_radius110_hbtn_a.gif"); }// --> </script>

```

```

<a href="Physical%20S.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav6'].src=MSFPnav6h.src" onmouseout="if(MSFPhover)
document['MSFPnav6'].src=MSFPnav6n.src">
</a></font></p><!--mstheme--></font></td>
<td valign="top"width="24"></td>
<!--msnavigation--><td valign="top"><!--mstheme--> <font face="Verdana, Arial,
Helvetica"><p dynamicanimation="fpAnimformatRolloverFP1" fprolloverstyle="color:
#6600CC; text-decoration: underline; font-weight: bold" onmouseover="rollIn(this)"
onmouseout = "rollOut (this)" language="Javascript1.2">
<b>There are five faculties in the University</b></p>
<!--mstheme--></font><table border="1" width="100%" height="132"
background="pe03254_1.gif" bordercolordark="#336699" bordercolorlight="#999999">
<tr>
<td width="100%" height="1"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<font color="#006699"><br></font><p>&nbsp;</table>
<!--mstheme--><font face="Verdana, Arial, Helvetica"><font color="#FF00FF"><font
size="2"><b>Faculty of Engineering and Environmental Design &nbsp;</b></font>
</font>
<font color="#006699"><br></font>
<font size="2"><b><font color="#800000">Faculty of Business Studies & Law</font>
<font color="#006699"><br></font>
<font color="#000099">Faculty of Physical Sciences</font>
<font color="#006699"> &nbsp;</font>
<font color="#006600"><br>Faculty of Health and Life Sciences &nbsp;</font>
</b></font>
<font color="#006699"><font size="2"><b><br>Faculty of Humanities and Social
Studies</b></font>&nbsp;</font>
<!--mstheme--> </font>
<!--msnavigation-->
</td>
</tr>
<!--msnavigation-->
</table><!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.2.1 Faculty of Engineering

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>Faculty of Engineering</title>
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" background="_themes/radius/radbkgnd.jpg"
bgcolor="#FFFFFF" text="#000000" link="#336699" vlink="#999999"
alink="#CC9966"><!--msnavigation--><table border="0" cellpadding="0" cellspacing=
"0" width="100%"><tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><fontface="Verdana, Arial, Helvetica"><imgsrc="
bd06213_.gif" width="56" height="66"></font></p><!--mstheme--></font></td></tr>
<!--msnavigation--></table>
<!--msnavigation--><table border="0" cellpadding="0" cellspacing="0"
width="100%"><tr><td valign="top" width="1%"><!--mstheme--><font face="Verdana,
Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt (navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator. App
Version)>= 4))); function MSFPpreload(img){var a=new Image(); a.src=img; return a;}//
--></script><script language="JavaScript"><!--if(MSFPhover) { MSFPnav1n =
MSFPpreload("_derived/up_cmp_radius110_hbtn.gif");MSFPnav1h=MSFPpreload("_de
rived/up_cmp_radius110_hbtn_a.gif"); }// --> </script> <a href="new_page_4.htm"
language="JavaScript"onmouseover="if(MSFPhover)document['MSFPnav1'].src=MSFP
nav1h.src"onmouseout="if(MSFPhover)document['MSFPnav1'].src=MSFPnav1n.src"><i
mg src="_derived/up_cmp_radius110_hbtn.gif"width="140"height="40" border="0" alt=
"Up" align="middle" name="MSFPnav1"></a></font></p><!--mstheme--> </font></td>
<td valign="top"width="24"></td><!--msnavigation--><td valign="top"><!--mstheme-->
<font face="Verdana, Arial, Helvetica"><!--mstheme--> </font><table border="0"
cellpadding="0" cellspacing="0" width="474">
<tr>
```

```

<td valign="top" width="7"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font face="Arial, Arial, Helvetica"><script language="JavaScript"><!--MSFPHover
= (((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator .app
Version )>= 4))); function MSFPpreload(img){var a=new Image(); a.src=img; return a;}
// --></script><script language="JavaScript"><!--if(MSFPhover) { MSFPnav1n =
MSFPpreload("_derived/home_cmp_auto110_hbtn.gif"); MSFPnav1h =MSFPpreload
("_derived/home_cmp_auto110_hbtn_a.gif"); }// --></script></font><a href="index.htm"
language="JavaScript"onmouseover="if(MSFPhover)document['MSFPnav1'].src=MSFP
nav1h.src" onmouseout="if(MSFPhover)document['MSFPnav1'] .src=MSFPnav1n.src ">
<font face="Arial, Arial, Helvetica"><script language="JavaScript"><!--if(MSFPhover)
{ MSFPnav2n=MSFPpreload("_derived/bs&law.htm_cmp_auto110_hbtn.gif");
MSFPnav2h=MSFPpreload("_derived/bs&law.htm_cmp_auto110_hbtn_a.gif"); }// -->
</script></font></a><font face="Arial, Arial, Helvetica"> &nbsp;</font></p>
<p><font color="#000099" face="Arial, Arial, Helvetica"><script language = " Java
Script"> <!--if(MSFPhover) { MSFPnav3n= MSFPpreload (" _derived/up_cmp_auto110_
hbtn.gif");MSFPnav3h=MSFPpreload("_derived/up_cmp_auto110_hbtn_a.gif");}//-->
</script></font></p>
<p><font face="Arial, Arial, Helvetica"></p>
</font><!--mstheme--></font></td>
<td valign="top" width="29"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;<!--mstheme--></font></td>
<td valign="top" msnavigation><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font face="Arial, Arial, Helvetica">The Faculty of Engineering and Environmental
Design is made up&nbsp;</font></p>
<!--mstheme--></font><table border="0" cellpadding="0" cellspacing="0" width="
100%" msimagelist>
<tr msimagelist>
<td valign="baseline" width="42" msimagelist><!--mstheme--><font face="Verdana,
Arial, Helvetica"><!--
mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica"><font size="2" color="#FF9966" face="Arial, Arial,
Helvetica"><b>&nbsp;</b></font><b><blink><font face="Modern" size="3"
color="#FF0000">Welsh School of Architecture</font></blink></b><!--mstheme-->
</font></td msimagelist>
</tr>
<tr msimagelist>
.<td valign="baseline" width="42" msimagelist><!--mstheme--><font face="Verdana,
Arial, Helvetica"><!--
mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><fontface="Verdana, Arial, Helvetica">
<b><blink><font face="Modern" size="3" color="#FF0000">&nbsp;</font></blink></b><!--mstheme--></font></td msimagelist>
</tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font

```


1.2.2 Faculty of Social Studies

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Social Studies</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"><img src=
"bd06213_.gif" width="56" height="66"></font></p><!--mstheme--</font> </td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td valign="top"
width="1%"><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPlover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator. App
Version) >= 4 ))); function MSFPpreload(img){var a=new Image(); a.src=img; return a;}
// --></script><script language="JavaScript"><!--if(MSFPhover){ MSFPnav1n =
MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h =MSFPpreload
("_derived/up_cmp_radius110_hbtn_a.gif"); }// --></script><a href="new_page_4.htm"
language="JavaScript" onmouseover="if(MSFPhover) document ['MSFPnav1'].src
=MSFPnav1h.src" onmouseout="if(MSFPhover) document ['MSFPnav1'].src=
MSFPnav1n.src"></a></font></p>
<!--mstheme--</font></td><td valign="top" width="24"></td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica"><p><br>
The Faculty of Human and Social Studies consist of a broad of disciplines organized
in to the following Departments and Schools. <br>
</p><!--mstheme--</font><table border="0" cellpadding="0" cellspacing="0"
width="100%" msimagelist>
```

```

<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica">
Education<!--mstheme--></font></td msimagelist>
</tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica" >
English,Communication and Philosophy<!--mstheme--></font></td msimagelist>
</tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica" >
European Studies<!--mstheme--></font></td msimagelist>
</tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica" >
History and Archaeology<!--mstheme--></font>
</td msimagelist>
</tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica" >
Journalism,Media and Cultural Studies<!--mstheme--></font>
</td msimagelist>
</tr>
<tr msimagelist>
<td valign="baseline" width="42" msimagelist><!--mstheme--><font face="Verdana,
Arial, Helvetica">
<!--mstheme--></font>
</td>
<td valign="top"width="100%"><!--mstheme--><font face="Verdana,Arial,Helvetica" >
Music<!--mstheme--></font>
</td msimagelist>
</tr>
<tr msimagelist>
<td valign="baseline" width="42" msimagelist><!--mstheme--><font face="Verdana,
Arial, Helvetica">
<!--mstheme--></font>
</td>

```



```

<B><IMG BORDER="0" SRC="ag00029_.gif" width="150" height="119"> </B>
&nbsp;&nbsp;&nbsp;</p>
<p>The Faculty of Health and Life Sciences comprises a range of departments and
disciplines concerned with a broad spectrum of biological, medical and
biomedical sciences. The faculty students about<font size="2"><b>2100</b></font> </p>
<p>Both undergraduate and postgraduate degree schemes are divided as follows.</p>
<font color="#800000"><br>&nbsp;&nbsp;&nbsp;</font>
<font size="2">
<b>-&nbsp;&nbsp;&nbsp; School of Molecular and Medical Biosciences<br>
-&nbsp;&nbsp;&nbsp; School of Pure and Applied Biology<br>
-&nbsp;&nbsp;&nbsp; Welsh School of Pharmacy<br>
-&nbsp;&nbsp;&nbsp; School of Psychology<br> </b></font><!--mstheme--></font>
<table border="0" cellpadding="0" cellspacing="0" width="100%" msimagelist>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica"><b><font size="3" color="#800000">&nbsp;&nbsp;&nbsp;Associated
departments and activities</font></b>
<br><font size="2"><b>-&nbsp;&nbsp;&nbsp; Degrees in Medicine and Dentistry<br>
-&nbsp;&nbsp;&nbsp; Department of Pharmacology and&nbsp;&nbsp;&nbsp;Therapeutics<br>
<br><br></b></font><!--mstheme--></font></td msimagelist></tr>
</table msimagelist><!--mstheme--><font face="Verdana, Arial, Helvetica">
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="color" value="#FF9900">
<param name="effect" value="glow">
</applet>
&nbsp;&nbsp;&nbsp;<a href="Social%20Studies.htm"><font color="#0000FF">Social
Studies</font></a><!--mstheme--></font><!--msnavigation--></td></tr><!--
msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font></td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.2.4 Faculty of Physical Science

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Physical Science</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Page-Enter" content="revealTrans(Duration=1.0,Transition=7)">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966"><!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"></font></p><!--mstheme--></font> </td>
</tr><!--msnavigation--></table><!--msnavigation--><table border="0" cellpadding="0"
cellspacing="0" width="100%"><tr><td valign="top" width="1%"><!--mstheme-->
<font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator .app
Version)>= 4)));function MSFPpreload(img){var a=new Image();a.src=img;return a;}/>
</script>
<script language="JavaScript"><!--if(MSFPhover) {MSFPnav1n = MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif");MSFPnav1h=MSFPpreload("_derived/up_cmp
_radius110_hbtn_a.gif"); }// --></script>
<a href="new_page_4.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1n.src"></a></font></p><!--mstheme--></font></td>
<td valign="top"width="24"></td><!--msnavigation--><td valign="top"><!--mstheme-->
<font face="Verdana, Arial, Helvetica"><p>The Faculty is made up of the following
Departments.</p><!--mstheme--></font><table border="0" cellpadding="0"
cellspacing="0" width="100%" msimagelist>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;sp;Chemistry<!--mstheme--></font></td msimagelist></tr>
```

```

<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;&nbsp;Computer Science<!--mstheme--></font></td msimagelist></tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;&nbsp;Earth Sciences<!--mstheme--></font></td msimagelist></tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;&nbsp;Physics and Astronomy<!--mstheme--></font></td msimagelist></tr>
<tr msimagelist><td valign="baseline" width="42" msimagelist><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td valign="top" width="100%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">&nbsp;&nbsp;Mathematics<br><br><br>
It is distinguished by the high quality of its research and by its wide range of
carefully planned and structured degree schemes designed to enable&nbsp;&nbsp;
students to find a scheme of study well suited&nbsp;&nbsp; to you students interests,
background and career intentions.<br>
<B><span style="position: absolute; left: 434; top: 155"><IMG BORDER="0"
SRC="bd19590_.gif" width="182" height="122"></span><br>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="color" value="#000080">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
</applet>&nbsp;&nbsp;&nbsp;&nbsp;<a href="bs&amp;law.htm"><font color= "#0000FF" >
BS&amp;Law</font></a>&nbsp;&nbsp;&nbsp;</B><!--mstheme--></font></td msimagelist> </tr>
</table msimagelist><!--mstheme--><font face="Verdana, Arial, Helvetica">
&nbsp;&nbsp;&nbsp;<!--mstheme--></font><!--msnavigation--></td></tr><!--msnavigation-->
</table><!--msnavigation--><table border="0" cellpadding="0" cellspacing="0"
width="100%"><tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.2.5 Faculty of Business Studies and Law

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>BS&Law</title>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF">
</font></b><font
face="Verdana, Arial, Helvetica">
</font></p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF">
<script language="JavaScript"><!--MSFPHover = (((navigator.appName == "Netscape")
&& (parseInt(navigator.appVersion) >= 3 )) || ((navigator.appName == "Microsoft
Internet Explorer") && (parseInt (navigator.app Version)>= 4 ))); function
MSFPpreload(img){var a=new Image(); a.src=img; return a; }// -->
</script>
<script language="JavaScript"><!--if(MSFPHover) { MSFPnav1n=
MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h= MSFPpreload
("_derived/up_cmp_radius110_hbtn_a.gif"); }//-->
</script>
<a href="new_page_4.htm" language="JavaScript"
onmouseover="if(MSFPHover)document[MSFPnav1'].src=MSFPnav1h.src"
```


1.3 Accommodation

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>Accomodation</title>
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" background=" _themes/radius/radbkgnd.jpg"
bgcolor="#FFFFFF" text="#000000" link="#336699" vlink="#999999"
alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b>
<fontface="Verdana, Arial, Helvetica"></font></p><!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table><!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme-->
<font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") &&(parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && ( parseInt (navigator. App
Version) >= 4 ))); function MSFPpreload(img){var a=new Image(); a.src=img; return a; }
// --></script><script language="JavaScript"><!--if(MSFPhover) { MSFPnav1n
=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h=
MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
</script>
```

```

<a href="index.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPhover)
document['MSFPnav1'].src=MSFPnav1n.src"><img src=
"_derived/up_cmp_radius110_hbtn.gif" width="140" height="40" border="0" alt="Up"
align="middle" name="MSFPnav1"></a> <script language="JavaScript"><!--
if(MSFPhover) { MSFPnav2n =MSFPpreload ("_derived/new_page_6.htm_cmp_
radius 110_hbtn.gif"); MSFPnav2h= MSFPpreload ("_derived/new_page_6.htm_cmp_
radius 110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_6.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav2'].src=MSFPnav2h.src" onmouseout="if(MSFPhover)
document['MSFPnav2'].src=MSFPnav2n.src">
</a> <script language="JavaScript"><!--if(MSFPhover) { MSFPnav3n = MSFPpreload
("_derived/new_page_7.htm_cmp_radius110_hbtn.gif"); MSFPnav3h
=MSFPpreload("_derived/new_page_7.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_7.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3h.src" onmouseout="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3n.src"><img src=
"_derived/new_page_7.htm_cmp_radius110_hbtn.gif" width="140" height="40"
border="0" alt="Range" align="middle" name="MSFPnav3"></a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav4n=MSFPpreload
("_derived/new_page_8.htm_cmp_radius110_hbtn.gif"); MSFPnav4h=
MSFPpreload("_derived/new_page_8.htm_cmp_radius110_hbtn_a.gif"); }
// --></script><a href="new_page_8.htm" language="JavaScript"
onmouseover="if(MSFPhover) document['MSFPnav4'].src=MSFPnav4h.src"
onmouseout="if(MSFPhover) document['MSFPnav4'].src=MSFPnav4n.src"></a>
<script language="JavaScript"><!--if(MSFPhover) { MSFPnav5n=MSFPpreload
("_derived/new_page_9.htm_cmp_radius110_hbtn.gif"); MSFPnav5h= MSFP
preload("_derived/new_page_9.htm_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_9.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5h.src" onmouseout="if(MSFPhover)
document['MSFPnav5'].src=MSFPnav5n.src">

</a></font></p>
<!--mstheme--></font></td>
<td valign="top" width="24">
</td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">

```


1.3.1 Guarantee of Accommodation

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML//EN">
<html>
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=iso-8859-1">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<title>Guarantee</title>
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" language="Javascript1.2"
background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"><imgsrc="_derived
/new_page_6.htm_cmp_radius110_bnr.gif" width="600" height="60" border="0"
alt="Guarantee"></font></b><font face="Verdana, Arial, Helvetica">
</font></p>
<!--mstheme--></font></td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial,
Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFP hover =
(((navigator.appName == "Netscape") &&(parseInt(navigator.appVersion) >= 3 ))
||((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator
.appVersion)>= 4)));function MSFPpreload(img){var a=new Image(); a.src=img;return
a;}// -->
</script>
<script language="JavaScript"><!--if (MSFPHover) { MSFPnav1n =MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif");MSFPnav1h=MSFPpreload
("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
```

```

</script>
<a href="new_page_5.htm" language="JavaScript" onmouseover="if(MSFPHover)
document ['MSFPnav1'].src =MSFPnav1h.src" onmouseout="if(MSFPHover) document
['MSFPnav1'] .src= MSFPnav1n.src"><img src= " _derived/ up_cmp_ radius110_ hbtn.
gif" width="140" height="40" border="0" alt="Up" align="middle" name="MSFPnav1">
</a></font></p><!--mstheme--></font></td><td valign="top" width="24"></td>
<!--msnavigation--><td valign="top"><!--mstheme--><font face="Verdana, Arial,
Helvetica"><fontcolor="#800080"><font size="5"><font face="Arial, Arial, Helvetica">
<marquee>A Guarantee of Accommodation</marquee>
</font></font></font><p dynamicanimation="fpAnimformatRolloverFP1"
fprolloverstyle="color: #FF00FF" onmouseover="rollIn(this)"
onmouseout="rollOut(this)" language="Javascript1.2"><font face="Arial, Arial,
Helvetica">The University isthe fortunate position of being able to guarantee a place
in university-owned accommodation to all single undergraduates who apply during the
normal admissions cycle. It should be noted that this guarantee does extend to the very
small number of students who join through the clearing process, although every attempt
is made to accommodate them.&nbsp;&nbsp;&nbsp;<br></font></p> msnavigation>
<p><font face="Arial, Arial, Helvetica"><br>
</font><a href="new_page_7.htm"><font face="Arial, Arial, Helvetica"
color="#0000FF">Range of Accommodation</font></a><font face="Arial, Arial,
Helvetica" color="#0000FF">&nbsp;&nbsp;&nbsp;</font><font face="Arial, Arial,
Helvetica">&nbsp;&nbsp;&nbsp;<br><br><br>&nbsp;&nbsp;&nbsp;</font><applet code="fphover.class"
codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
<param name="color" value="#0000FF">
</applet>
<font face="Arial, Arial, Helvetica">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</font><font face="Arial,
Arial, Helvetica"></font>
</p> msnavigation><!--mstheme--></font><!--msnavigation--></td></tr>
<!-- msnavigation-->
</table><!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.3.2 Range of Accommodation

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Range</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" background="_themes/radius/radbkgnd.jpg"
bgcolor="#FFFFFF" text="#000000" link="#336699" vlink="#999999"
alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"><img src= "_derived
/new_page_7.htm_cmp_radius110_bnr.gif" width="600" height="60" border="0"
alt="Range"></font></b><fontface="Verdana, Arial, Helvetica"><img src=
"bd06213_.gif" width="56" height="66"></font></p>
<!--mstheme--></font></td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td valign="top"
width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt (navigator.app Version) >= 3 ))|| ((
navigator.appName=="Microsoft Internet Explorer")&&(parseInt(navigator.app Version
)>= 4 )));function MSFPpreload(img){ Var a=new Image(); a.src=img; return a; }// -->
</script>
<script language="JavaScript"><!--if(MSFPHover){ MSFPnav1n = MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h =MSFPpreload ("_derived / up_
cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_5.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
```


1.3.3 Choice of Accommodation

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Choice</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF">
</font></b>
<font face="Verdana, Arial, Helvetica">
</font></p><!--mstheme--> </font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF">
<script language="JavaScript"><!--MSFPHover = (((navigator.appName == "Netscape")
&&(parseInt(navigator.appVersion) >= 3 )) || ((navigator.appName == "Microsoft
Internet Explorer") &&(parseInt(navigator.appVersion) >= 4 )));function
MSFPpreload(img){var a=new Image(); a.src=img; return a; } // ->
</script>
<script language="JavaScript"><!--if(MSFPHover){MSFPnav1n=MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h=MSFPpreload("_derived/
up_cmp_radius110_hbtn_a.gif"); }// ->
</script>
<a href="new_page_5.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src">
</a></font></p>
```

```

<!--mstheme--></font></td>
<td valign="top" width="24">
</td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>With 11 halls of Residence, there is plenty of variety. Whether catered
accommodation or self catered; a modern hall or the more traditional; a student
flat or a student house; life in the city or life in the suburbs; the Residences
Office has the Widest possible range and seek to meet preferences as far as
possible.<br>
<br>
<a href="new_page_9.htm"><font face="Arial, Arial, Helvetica"
color="#0000FF">Applying</font>
</a><font face="Arial, Arial, Helvetica">&nbsp;&nbsp;&nbsp;</font>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
<param name="color" value="#008000">
</applet>
<!--mstheme--></font>
<!--msnavigation-->
</td>
</tr><!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.3.4 Applying for an Accommodation

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Applying</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" language="Javascript1.2"
background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93"size="6"color="#0000FF"></font></b>
<font face="Verdana, Arial, Helvetica"></font></p><!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") &&(parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator.App
Version)>= 4))) functionMSFPpreload(img){var a=newImage();a.src=img; return a;}// ->
</script>
<script language="JavaScript"><!--if(MSFPHover) {MSFPnav1n=MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h= MSFPpreload
("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
</script>
```

```

<a href="new_page_5.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src"><imgsrc="_derived/up_cmp_radius110_h
btn.gif" width="140" height="40" border="0" alt="Up" align="middle"
name="MSFPnav1">
</a></font></p><!--mstheme--></font>
</td>
<td valign="top" width="24">
</td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p dynamicanimation="fpAnimformatRolloverFP1" fprolloverstyle="color: #CC3300"
onmouseover="rollIn(this)" onmouseout="rollOut(this)"
language="Javascript1.2">Applicants who accept an offer on a firm basis are given the
highest priority in the allocation of University-owned accommodation.<br><br>
<font size="4" color="#800000">General Entrance Requirement</font><br>
In order to embark upon a scheme of study for an initial degree, a candidate must satisfy
the appropriate admission&nbsp; tutor.<br><br>
<font size="4" color="#800000">Equal Opportunities</font>
<font size="4" color="#9900CC">&nbsp;</font>
<font size="4" color="#FFFF99"><br></font>
<font size="3">The University conducts its student requirement, selection
and assessment procedures on an equal opportunities basis. It is committed to ensuring
that all applicants, students and employees are treated equal, regardless of their colour,
race, ethnic or political or religious beliefs.&nbsp;<br><br></font>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="color" value="#FF9900">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
</applet>
<!--mstheme--></font>
<!--msnavigation--></td></tr><!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font>
</td></tr><!--msnavigation-->
</table>
</body>
</html>

```

1.4 Degree Structure

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Degree Structure</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body onload="dynAnimation()" background="_themes/radius/radbkgnd.jpg" bgcolor=
"#FFFFFF" text="#000000" link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation--><table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF">
</font></b>
<font face="Verdana, Arial, Helvetica">
</font></p><!--mstheme--></font>
</td></tr><!--msnavigation--></table>
<!--msnavigation--><table border="0" cellpadding="0" cellspacing="0"
width="100%"><tr><td valign="top" width="1%"><!--mstheme--><font face="Verdana,
Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator.App
Version)>= 4)));functionMSFPpreload(img)var a=newImage();a.src=img;return a;!-->
</script>
<script language="JavaScript">
<!--if(MSFPHover) {MSFPnav1n=MSFPpreload("_derived/up_cmp_radius110_hbtn.
gif"); MSFPnav1h =MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }-->
</script>
<a href="index.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src">
<imgsrc="_derived/up_cmp_radius110_hbtn.gif" width="140" height="40" border="0"
alt="Up" align="middle" name="MSFPnav1"></a>
<script language="JavaScript">
<!--if (MSFPHover){MSFPnav2n=MSFPpreload("_derived/new_page_11.htm_cmp_
```

```

radius110_hbtn.gif"); MSFPnav2h=MSFPpreload("_derived/new_page_11.htm_cmp_
radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_11.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav2'].src=MSFPnav2h.src" onmouseout="if(MSFPhover)
document['MSFPnav2'].src=MSFPnav2n.src">

</a></font></p><!--mstheme--></font></td>
<td valign="top" width="24"></td>
<!--msnavigation--><td valign="top">
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<palign="left">&nbsp;&nbsp;&nbsp;<B><IMG BORDER="0" SRC="j0095699.gif"
width="68" height="53"></B> </p>
<p align="left"> Degree schemes at Cardiff operate on a modular structure with the
exception of medical and dental degrees. For each year of the degree scheme, expected to
complete a minimum of twelve modules. The regulation for each degree scheme
specify which module are&nbsp;&nbsp;&nbsp; compulsory and which are optional.</p>
<p><a href="new_page_11.htm" dynamicanimation="fpAnimformatRolloverFP1"
fprolloverstyle="text-transform: capitalize; color: #FF0000" onmouseover="rollIn(this)"
onmouseout="rollOut(this)" language="Javascript1.2"><font color="#0000FF">The new
module benefits&nbsp;&nbsp;&nbsp; for Students</font></a></p>
<p>Cardiff currently operates a two- semester approach to the structure of the academic
year.</p>
<p>In a continuing effort to offer students the best possible education experience, the
University keeps its degree structure under review. Consequently, variations to
the current systems may be introduced in the future.<!--mstheme--></font>
<!--msnavigation--></td></tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.4.1 Benefits of New Degree Structure

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Benifits</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"><img src=
"bd06213_.gif" width="56" height="66"></font></p><!--mstheme--></font> </td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") &&(parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator. App
Version)>= 4)));functionMSFPpreload(img){var a=newImage();a.src=img;return a;}//-->
</script>
<script language="JavaScript"><!--if(MSFPHover) { MSFPnav1n
=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h
=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_10.htm" language="JavaScript" onmouseover="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1n.src">
</a></font></p><!--mstheme--></font>
</td>
<td valign="top" width="24">
```

```

</td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<p><b>*&nbsp;</b> Offer Students more choice through a greater range&nbsp; of
options, subject to the specific requirements of the degree scheme and academic
advice from tutors&nbsp;</p>
<p><b>*&nbsp;</b> Maintain logical and consistent degree schemes through the
identification of compulsory and pre-requisite modules</p>
<p><b>*</b>&nbsp;</p> Allow regular feedback on progress and performance assisting
you in planning program of study</p>
<p><b>*&nbsp;</b> Help spread assessment load more widely throughout the year</p>
<p>*&nbsp;</p> Provide for intermediate awards to certify the achievement
of&nbsp; students&nbsp; who are unable to complete the full degree programme <p>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="color" value="#FF9900">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
</applet>
<!--mstheme--></font>
<!--msnavigation-->
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```


1.5 Preliminary Year

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Preliminary Year</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica"><p><b><font
face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPHover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator .app
Version) >= 4 ))); function MSFPpreload(img){var a=new Image();a.src=img;return a;}
// --></script>
<script language="JavaScript">
<!--if(MSFPHover){MSFPnav1n =MSFPpreload ("_derived/up_cmp_radius110_hbtn
.gif");MSFPnav1h=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif");}// -->
</script>
<a href="index.htm" language="JavaScript" onmouseover="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1n.src"><img src= "_derived/ up_cmp_ radius
110_hbtn.gif" width="140" height="40" border="0" alt="Up" align="middle"
name="MSFPnav1 "></a></font></p>
```

```

<!--mstheme--></font></td><td valign="top" width="24"></td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font size="4">
<marquee style="color: #800080; font-style: italic; font-weight: bold">Preliminary
Year Courses</marquee></font> </p>
<p><font size="2">&nbsp;&nbsp;&nbsp;Preliminary year schemes of study have been designed for
such candidates who wish to study in the Faculty of Health and Life Science or
the Faculty of Physical Science.</font> </p>
<p><font size="2">Students seeking admission to the Preliminary Year should apply to
the admissions tutor for the Department or School in which they intend to pursue their
degree studies. On beginning the Preliminary course the student becomes a member of
that Department or school. The total length of the degree scheme is increased by one year
for students entering through the Preliminary route. Successful completion of the
Preliminary year will result in the student proceeding to the next of her/his degree
scheme.</font></p>
<p><font size="2">The main subject within the Preliminary Year scheme are applied
mathematics, biology, chemistry, physics and pure mathematics. Modules will be drawn
from some of the above subjects. Modules may also be drawn from other subject areas.
This arrangement provides flexibility to respond to each student's prior qualifications and
to the requirements of the chosen degree scheme. The combination of modules will be
decided by the individual of modules will be decided by the individual admissions tutors
in discussion with the student. &nbsp;&nbsp;&nbsp;</font>
</p>
<p><font size="2">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</font><font size="4"> &nbsp;&nbsp;&nbsp;&nbsp;</font> </p>
<p><font size="4"> &nbsp;&nbsp;&nbsp;&nbsp;</font><!--mstheme--></font>
<!--msnavigation-->
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;&nbsp;&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.6 Information Services

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Information Services</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"><img src=
"bd06213_.gif" width="56" height="66"></font></p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td valign="top"
width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--MSFPmouseover =
(((navigator.appName == "Netscape") && (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer")&&(parseInt(navigator.app
Version) >= 4)));functionMSFPpreload(img){vara=newImage();a.src=img;return a;}//-->
</script>
<script language="JavaScript"><!-- if(MSFPmouseover) { MSFPnav1n= MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h= MSFPpreload ("_derived/up_
cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="index.htm" language="JavaScript" onmouseover="if(MSFPmouseover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPmouseover)
document['MSFPnav1'].src=MSFPnav1n.src"><imgsrc="_derived/up_cmp_radius110_h
btngif"width="140"height=40border="0"alt="Up"align="middle"name="MSFPnav"</a>
<script language="JavaScript">
<!--if(MSFPmouseover)
{MSFPnav2n=MSFPpreload("_derived/new_page_15.htm_cmp_radius110_hbtn.gif");
MSFPnav2h=MSFPpreload("_derived/new_page_15.htm_cmp_radius110_hbtn_a.gif"); }
// --></script><a href="new_page_15.htm" language="JavaScript"
onmouseover="if(MSFPmouseover) document['MSFPnav2'].src=MSFPnav2h.src"
```

```

onmouseout="if(MSFPhover) document['MSFPnav2'].src=MSFPnav2n.src"></a> <script
language="JavaScript"><!--if(MSFPhover) { MSFPnav3n= MSFPpreload "_derived /
new_page_16.htm_cmp_radius110_hbtn.gif"); MSFPnav3h= MSFPpreload
("_derived/new_page_16.htm_cmp_radius110_hbtn_a.gif"); }// --> </script>
<a href="new_page_16.htm" language="JavaScript" onmouseover="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3h.src" onmouseout="if(MSFPhover)
document['MSFPnav3'].src=MSFPnav3n.src"><imgsrc="_derived/new_page_16.htm_cm
p_radius110_hbtn.gif" width="140" height="40" border="0" alt="Library"
align="middle" name="MSFPnav3"></a></font></p><!--mstheme--></font></td>
<td valign="top"width="24"></td><!--msnavigation--><td valign="top"><!--mstheme-->
<font face="Verdana, Arial, Helvetica"><p>&nbsp;</p>
<p><font color="#ffffff">Cardiff University provides one of the most progressive
information services in the UK. Students have the opportunity to experience the
very latest developments in information technology including the Internet,electronic
databases and a range of software packages. As well as informal help, staff provide
seminars and workshops for specialist training.</font></p>
<p><font color="#ffffff">Information Services are freely available to all students of the
university. Convenient&nbsp;  access is made by possible through the long opening hours
including evening and weekends. With more than &nbsp;  2,200 study places, an
increasing number of which are equipped with work stations and open 24 hours, students
are able to study i</font><font color="#FFFFFF"> the UK. Students have the
opportunity to experience the very latest developments in information technology
including the Internet, electronic databases and a range of software packages. As well as
informal help, staff provide seminars and workshops for specialist training.</font></p>
<p><font color="#FFFFFF">Information Services are freely available to all students of
the university. Convenient&nbsp;  access is made by possible through the long opening
hours including evening and weekends. With more than&nbsp;  2,200 study places, an
increasing number of which are equipped with workstations and open 24 hours, students
are able to study in convenient, comfortable surrounding throughout their time at the
University. &nbsp; &nbsp;  /font> <p> &nbsp;    <p>&nbsp;   <!--mstheme--></font>
<!--msnavigation--></td></tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.6.1 Computing

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Computing</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF">
</font></b>
<font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript">
<!--MSFPHover=(((navigator.appName=="Netscape")&&(parseInt(navigator.App
Version) >= 3 )) || ((navigator.appName == "Microsoft Internet Explorer") && (parseInt
(navigator .appVersion) >= 4 ))); function MSFPpreload(img){var a=new Image();
a.src=img; return a; }// -->
</script>
<script language="JavaScript"><!--if(MSFPHover){MSFPnav1n= MSFPpreload
("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h=MSFPpreload("_derived/
up_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_14.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src">
</a></font></p><!--mstheme-->
</font></td>
<td valign="top"width="24"></td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>Student at Cardiff benefit from excellent computing facilities. A number of Open
Access Workstation rooms are open 24 hours a day and selected rooms in halls of
residence have computer sockets installed to provide maximum access. Software
mounted on our Netware service gives access to world Wide Web browsers,electronic
mail, word processing, databases and a wealth of other application software. Introductory
information is provided to help you in the use of there computing facilities, this is
supplemented with printed and computer base information on individual applications.
Computing advisors are&nbsp;   available to give first hand help and advice. &nbsp;  
&nbsp;  <font color="#0000FF">
<a href="new_page_16.htm"><br>
<br>
<br><br></a></font><!--mstheme--></font>
<!--msnavigation-->
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;  </p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.6.2 Library

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Library</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"><imgsrc= "_derived/
new_page_16.htm_cmp_radius110_bnr.gif" width="600" height="60" border="0"
alt="Library"></font></b><font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td valign="top" width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF">
<script language="JavaScript"><!--MSFPHover = (((navigator.appName == "Netscape")
&&(parseInt(navigator.appVersion) >= 3 )) ||((navigator.appName == "Microsoft Internet
Explorer") && (parseInt(navigator .app Version)>= 4)));function MSFPpreload(img){var
a=new Image(); a.src=img; return a; }// -->
</script>
<script language="JavaScript"><!--if(MSFPHover){MSFPnav1n=MSFPpreload("_
derived/up_cmp_radius110_hbtn.gif");MSFPnav1h=MSFPpreload("_derived/up_cmp_ra
dius110_hbtn_a.gif"); }// -->
</script>
<a href="new_page_14.htm" language="JavaScript" onmouseover="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document[MSFPnav1].src=MSFPnav1n.src"></a></font></p>
```

```

<!--mstheme--></font>
</td>
<td valign="top" width="24">
</td>
<!--msnavigation-->
<td valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<p>The library also developed special research collections. The Salisbury collection
based in the Arts and Social studies Building has 30,000 books prints and manuscripts
dealing with the&nbsp;<nbsp;> history, language and culture of Wales. A substantial collection
of European information is available&nbsp;<nbsp;> from the European document center and the
law collection is one of the foremost in the country. Specialized services are available for
architects from the Technical Reference Bureau and there is a company information unit
in the Guest research Center.<br>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="color" value="#0000FF">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
</applet>
<!--mstheme--></font>
<!--msnavigation-->
</td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td>
<!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font>
</td>
</tr>
<!--msnavigation-->
</table>
</body>
</html>

```


1.7 Sports And Recreation

```
<html>
<head>
<meta http-equiv="Content-Language" content="en-us">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Sports</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Page-Enter" content="revealTrans(Duration=1.0,Transition=6)">
<meta http-equiv="Page-Exit" content="revealTrans(Duration=1.0,Transition=0)">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966"><!--msnavigation--><table
border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td><!--mstheme-->
<font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica"></font></p>
<!--mstheme--></font></td></tr><!--msnavigation--></table><!--msnavigation--><table
border="0" cellpadding="0" cellspacing="0" width="100%"><tr><td valign="top"
width="1%"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF"><script language="JavaScript"><!--
MSFPphover=((navigator.appName == "Netscape")&&(parseInt(navigator.appVersion) >
= 3 )) || ((navigator.appName == "Microsoft Internet Explorer") && (parseInt
(navigator.appVersion) >= 4 )); function MSFPpreload(img) { var a=new Image();
a.src=img; return a; }// --></script><script language="JavaScript"><!--
if(MSFPphover) { MSFPnav1n=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif");
MSFPnav1h=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }
// --></script><a href="index.htm" language="JavaScript"
onmouseover="if(MSFPphover) document[MSFPnav1'].src=MSFPnav1h.src"
onmouseout="if(MSFPphover) document[MSFPnav1'].src=MSFPnav1n.src"></a></font></p>
<!--mstheme--></font></td><td valign="top" width="24"><!--msnavigation--><td
valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica"><!--mstheme-->
</font><table border="0" cellpadding="3" cellspacing="0" width="100%" height="577">
<tr><td align="center" width="2%" height="27"><!--mstheme--><font face="Verdana,
Arial, Helvetica"><!--mstheme--></font></td>
<td align="right" valign="top" width="75%" height="27"><!--mstheme--><font
face="Verdana, Arial, Helvetica"><font size="3"><strong><marquee style="color:
#800080; font-style: italic; font-weight: bold" behavior="alternate">Sport
```

```

and recreation </marquee></strong></font><!--mstheme--></font></td>
<td align="center" width="23%" height="27"><!--mstheme--><font face="Verdana,
Arial, Helvetica"><!--mstheme--></font></td></tr>
<tr><td align="center" width="2%" nowrap height="14"><!--mstheme--><font face
="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td align="right" valign="top" width="75%" nowrap height="14"><!--mstheme--><font
face="Verdana, Arial, Helvetica"><!--mstheme--></font></td>
<td align="center" width="23%" nowrap height="14"><!--mstheme--><font face=
"Verdana, Arial, Helvetica"><!--mstheme--></font></td></tr>
<tr><td align="center" width="2%" height="518"><!--mstheme--><font face="Verdana,
Arial, Helvetica"><!--mstheme--></font></td>
<td align="right" valign="top" width="75%" height="518"><!--mstheme--><font
face="Verdana, Arial, Helvetica"><font size="2">Sport and Recreation Services provide
enviable opportunities and facilities for all members of the University community </font>
<p><font size="2">Facilities include three centers for sport across the University
providing access to formal and informal activities</font></p>
<p><font size="2">Talybont Sport Center has a superb multipurpose sports hall to
accompany its existing hall five a-side court, fitness room, free weights room and martial
arts studio. The outdoor facilities include a floodlit, all-weather pitch, tennis courts and
grass pitches.</font></p>
<p><font size="2">The Athletic Union plays an important rule in providing specialist
sports clubs, equipments and coaching for its members.</font><p>
<applet code="fphover.class" codebase="." width="120" height="24">
<param name="hovercolor" value="#0000FF">
<param name="textcolor" value="#FFFFFF">
<param name="text" value="Home">
<param name="color" value="#0000FF">
<param name="effect" value="glow">
<param name="url" valuetype="ref" value="index.htm">
</applet><!--mstheme--></font></td>
<td align="center" width="23%" height="518"><!--mstheme--><font face="Verdana,
Arial, Helvetica"><font size="2"></font><br>
<font size="2">
</font><!--mstheme--></font></td></tr></table>
<!--mstheme--><font face="Verdana, Arial, Helvetica">&nbsp;<!--mstheme-->
</font><!--msnavigation--></td></tr><!--msnavigation--></table>
<!--msnavigation--><table border="0" cellpadding="0" cellspacing="0"
width="100%"><tr><td><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p>&nbsp;</p>
<!--mstheme--></font></td></tr>
<!--msnavigation-->
</table>
</body>
</html>

```

1.8 Overseas Students

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252">
<title>Overseas Students</title>
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta name="Microsoft Theme" content="radius 111, default">
<meta name="Microsoft Border" content="tlb, default">
</head>
<body background="_themes/radius/radbkgnd.jpg" bgcolor="#FFFFFF" text="#000000"
link="#336699" vlink="#999999" alink="#CC9966">
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><td><!--mstheme--> <font face="Verdana, Arial, Helvetica">
<p><b><font face="Bauhaus 93" size="6" color="#0000FF"></font></b><font face="Verdana, Arial, Helvetica">
</font></p>
<!--mstheme--></font></td>
</tr>
<!--msnavigation-->
</table>
<!--msnavigation-->
<table border="0" cellpadding="0" cellspacing="0" width="100%">
<tr><tdvalign="top"width=1%><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><font color="#0000FF">
<script language="JavaScript"><!--MSFPHover = (((navigator.appName == "Netscape")
&& (parseInt(navigator.appVersion) >= 3 )) ||
((navigator.appName == "Microsoft Internet Explorer") && (parseInt (navigator.app
Version) >= 4 )));functionMSFPpreload(img){var a=newImage();a.src=img;return a;!-->
</script>
<script language="JavaScript"><!--if(MSFPHover) { MSFPnav1n
=MSFPpreload("_derived/up_cmp_radius110_hbtn.gif"); MSFPnav1h
=MSFPpreload("_derived/up_cmp_radius110_hbtn_a.gif"); }// -->
</script>
<a href="index.htm" language="JavaScript" onmouseover="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1h.src" onmouseout="if(MSFPHover)
document['MSFPnav1'].src=MSFPnav1n.src"><imgsrc="_derived/up_cmp_radius110_h
btn.gif" width="140" height="40" border="0" alt="Up" align="middle"
name="MSFPnav1 "></a></font></p>
<!--mstheme--></font></td><td valign="top" width="24"><!--msnavigation--><td
valign="top"><!--mstheme--><font face="Verdana, Arial, Helvetica">
<p><i><b><font size="5">Overseas Students</font></b></i></p>
```

Over 2300 students from more than 100 countries are represented on university. Whatever any student chosen subject, the University offers a high quality of education, and excellent standard of accommodation and a great environment in which to study.

Services for overseas Students

Before leaving home

Course information, detailed information and advice on such matters as: immigration procedures, visa requirements, health care, climate, and living and studying in Cardiff.

Guaranteed accommodation. Cardiff is one of only a very few UK Universities that can provide all single overseas students with guaranteed university accommodation during of their degree programme.

On arrival in the UK

A free Coach-Collection Service from Heathrow and Cardiff airports operates for two days each year and ensure met on arrival in the UK and escorted direct to student to student resident.

During student time at the University

Student support

Welfare and advice is readily available should you require it through your personal tutor, the Dean of student office or the student advice center.

Flexible fee payment

The University's fee payment schemes allow self-financing students to spread the cost of tuition fees over three equal installment during each year of study.

Cost of living

Cardiff enjoys one of the lowest cost of living of any major city in the UK. The close proximity of the student residences to the main campus means that time and money not wasted on unnecessary travel.

Internet and Email

Cardiff students are given free access to Internet. Students will be provided with a personal email address soon on their arrival.

msnavigation

msnavigation

msnavigation

msnavigation *Verdana, Arial, Helvetica*

msnavigation

msnavigation


```

&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;Ms&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="radio" name="R1 "
value="V6">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<br>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;Mrs&nbsp;&nbsp;&nbsp;<input type="radio" checked name="R1" value="V8">
</td>
</tr>
<tr>
<td align="right">
<em>&nbsp;&nbsp;&nbsp;Address</em></td>
<td>
<input type=text name ="Contact_StreetAddress"size=35>
</td>
</tr>
<tr>
<td align "right">
<em>City</em></td>
<td>
<input type=text name ="Contact_City" size=35>
</td>
</tr>
<tr>
< td align="right">
<em>Province</em>< td />
< td >
< input type=text name ="Contact_State" size=35>
</ td >
</tr>
<tr>
< td align="right">
<em>Postal Code</em></ td >
< td >
< input type=text name ="Contact_ZipCode" size=12maxlength=12>
</ td >
</tr>
<tr>
< td align="right">
<em>Country</em></ td >
< td >
< input type=text name="Contact_Country" size=25>
</td>
</tr>
<tr>
< td align="right">
<em>E-mail</em></td>
< td >
<input type=text name="Contact_Email" size=25>
</ td >

```


1.9.1 Your Views

```
<html>
<head>
<title>Your Views</title>
<script language="JavaScript" fptype="dynamicanimation">
<!--function dynAnimation() {}function clickSwapImg() {}!-->
</script>
<script language="JavaScript1.2" fptype="dynamicanimation" src="animate.js">
</script>
<bgsound src="j0074310.mid" loop="-1">
</head>
<body onload="dynAnimation()">
<p>I am seeking to improve the quality of the Web Page. Give your cooperation , by
indicating your views.<br>
<b>(Please tick appropriate box)</b></p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table border="0" width="109%" height="175">
<tr>
<td width="45%" height="36"></td>
<td width="11%" height="36" valign="top"><font color="#800000"><b><blink><font
size="2" color="#800000">Excellent</font></blink></b></font></td>
<td width="22%" height="36" valign="top"><font color="#800000"><b><blink><font
size="2" color="#800000"> Good &nbsp;</font></blink></b></font></td>
<td width="17%" height="36" valign="top"><font color="#800000"><b><blink><font
size="2" color="#800000"> Average</font></blink></b></font></td>
<td width="18%" height="36" valign="top"><font color="#800000"><b><blink>
<font size="2" color="#800000">&nbsp;</font></blink></b></font></td>
</tr>
<tr>
<td width="45%" height="21">
Information content&nbsp;</td>
<td width="11%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="22%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="17%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="18%" height="21"><input type="checkbox" name="C1" value="ON"></td>
</tr>
<tr>
<td width="45%" height="21">Ease of use</td>
<td width="11%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="22%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="17%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="18%" height="21"><input type="checkbox" name="C1" value="ON"></td>
</tr>
```



```

<tr>
<td width="45%" height="21">Design&nbsp;&nbsp;&nbsp;</td>
<td width="11%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="22%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="17%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="18%" height="21"><input type="checkbox" name="C1" value="ON"></td>
</tr>
<tr>
<td width="45%" height="21">Photography&nbsp;&nbsp;&nbsp;</td>
<td width="11%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="22%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="17%" height="21"><input type="checkbox" name="C1" value="ON"></td>
<td width="18%" height="21"><input type="checkbox" name="C1" value="ON"></td>
</tr>
<tr>
<td width="45%" nowrap height="31">
<p align="justify">How does it&nbsp;&nbsp;&nbsp;compare with &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<br>
<b><i><font size="2" color="#800080">Other Web Pages</font></i></b>you have seen
<br></td>
<td width="11%" valign="top" height="31"><input type="checkbox" name="C1" value=
"ON"></td>
<td width="22%" valign="top" height="31"><input type="checkbox" name="C1" value=
"ON"></td>
<td width="17%" valign="top" height="31"><input type="checkbox" name="C1" value=
"ON"></td>
<td width="18%" valign="top" height="31"><input type="checkbox" name="C1" value=
"ON"></td>
</tr>
</table>
<p>&nbsp;&nbsp;&nbsp;</p>
<p>&nbsp;&nbsp;&nbsp;<font color="#800000"><b><blink>&nbsp;&nbsp;&nbsp;</blink></b></font>
<br>Additional comments :</p>
<p><textarea name="S1" rows="4" cols="65"></textarea><br>
<br>&nbsp;&nbsp;&nbsp;My E-mail : <a href="mailto:ino@hot.com">ino@hot.com</a>.<br>
<input type="submit" value="Submit" name="B1">&nbsp;&nbsp;&nbsp;<input type="reset"
value="Reset" name="B2">
</p>
<p dynamicanimation="fpAnimformatRolloverFP1" fprolloverstyle="text-decoration:
blink; color: #FF0000; font-size: 1em; font-style: italic; font-weight: bold"
onmouseover="rollIn(this)" onmouseout="rollOut(this)" language="Javascript1.2"><br>
<br>
<marquee behavior="slide">THANKING&nbsp;&nbsp;&nbsp;FOR&nbsp;&nbsp;&nbsp;YOUR&nbsp;&nbsp;&nbsp;
VISIT</marquee>
</p>
<p><a href="index.htm"><br>
Home Page</a>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</p>

```

```
<p>&nbsp;</p>  
<applet code="fphover.class" codebase="." width="120" height="24">  
<param name="hovercolor" value="#0000FF">  
<param name="textcolor" value="#FFFFFF">  
<param name="text" value="Back">  
<param name="color" value="#800080">  
<param name="effect" value="glow">  
<param name="url" valuetype="ref" value="further.htm">  
</applet>  
</html>
```

National Digitization Project

National Science Foundation

Institute : Sabaragamuwa University of Sri Lanka


1. Place of Scanning : Sabaragamuwa University of Sri Lanka, Belihuloya

2. Date Scanned : 2017-09-29

3. Name of Digitizing Company : Sanje (Private) Ltd, No 435/16, Kottawa Rd,
Hokandara North, Arangala, Hokandara

4. Scanning Officer

Name : S.A.C. Sadaruwan

Signature : 


Certification of Scanning

I hereby certify that the scanning of this document was carried out under my supervision, according to the norms and standards of digital scanning accurately, also keeping with the originality of the original document to be accepted in a court of law.

Certifying Officer

Designation : LIBRARIAN

Name : T.N. NEIGHSOOREI

Signature : 

Date : 2017-09-29

Mrs. T.N. NEIGHSOOREI
Sabaragamuwa University of Sri Lanka
Kottawa, Sri Lanka

"This document/publication was digitized under National Digitization Project of the National Science Foundation, Sri Lanka"